

<b>1 IDENTIFICATION</b>	<b>Detection of Rotavirus and Adenovirus in faecal samples</b>		
1.1 Trade name	<b>COMBI - STRIP &amp; COMBI UNI - STRIP</b>		
1.2 Supplier or Manufacturer	CORIS BioConcept, 30, rue Phocas Lejeune, B-5032 Gembloux, Belgium Ph1 : + 32 / 81 719 917; Fax : + 32 / 81 719 919; E-mail : info@corisbio.com - Web site : http://www.corisbio.com		
1.3 Kind of use for details, see insert	In vitro Immunochromatographic Diagnostic		

<b>2 CONSTITUTION OF THE PRODUCT</b>			
2.1 Components	Laminate	active matrix plastic backing	nitrocellulose + mylar PVC
	Absorbent paper	sample pad absorbant pad	glass fiber cellulose paper
	Release matrix	conjugate pad	Polyester fiber
	Dilution buffer	SALTS : ADDITIVE(S) : CONSERVATIVE : pH : MOLARITY :	restricted information restricted information sodium azide 7.2 restricted information
2.2 Biologicals	Specific reagent	anti-rotavirus	guinea pig antiserum Protein A purified
		anti-adenovirus ( hexon antigen)	mouse monoclonal antibody Protein A purified
	Control reagent	anti-mouse IgG	rabbit antiserum Protein A purified
	Conjugate	anti-Rotavirus (Group A antigens) VP6 antigen	mouse monoclonal antibody Protein G purified Gold colloïd coupled
2.3 Hazardous ingredients	conservative(s)	anti-adenovirus ( hexon antigen)	mouse monoclonal antibody Protein G purified Gold colloïd coupled
		Sodium azide	
2.4 Impurities (potentially harmful)	none		

<b>3 PHYSICAL DATA</b>			
3.1 Physical state	conjugate solutions	DRIED LIQUID	
3.2 Critical temperature	above 40°C		
3.3 Solubility	nil		
3.4 pH	see number 2.1		
3.5 Vapor pressure	nil		
3.6 Specific gravity	nil		
3.7 Other details	nil		

<b>4 STORAGE AND MANIPULATION</b>			
4.1 Precautions to be taken in handling and storing	handling :	none	
	storing :	not above 50 °C nor below 0 °C	
4.2 Packaging material -recommended	box	cardboard	

	dilution bottle Stick vial	Polyethylene - polypropylene PVC
	-to be avoided	metals
4.3	Dangerous reactions with :	avoid to put in contact with fire
4.4	Hazardous decomposition product	none
4.5	Personnal protective equipment	gloves
4.6	Special protection measures	avoid ingestion, inhalation or skin contact with dilution buffer
4.7	Measures to be taken after leaking or accidental spillage	- collect samples in plastic bag and submit to sterilization procedures - rinse carefully polluted bench
4.7.1	Neutralization or destruction of product	- sterilization of samples and used sticks - set in specialized recuperator service
4.7.2	Destruction of emptied packaging	set in specialized and recuperator service
4.8	Other recommendations	none

<b>5</b>	<b>INFLAMMATION AND EXPLOSION</b>	
5.1	Flash	not applicable
5.2	Auto-inhibition temperature	not applicable
5.3	Unusual fire and explosion hazards	in case of fire, the product emits toxic fumes
5.4	Extinguishing agents	
	-suitable	usual means
	-not suitable	none
5.5	Special fire fighting procedures	set a self contained respiratory system in the working area
5.6	Other recommendations	avoid rejection of extinguishing material in the environment

<b>6</b>	<b>TOXICOLOGICAL DATA</b>	not applicable
----------	---------------------------	----------------

<b>7</b>	<b>EMERGENCY FIRST AID PROCEDURES</b>	
	only with liquids	contact with skin : Rinse with water
	only with liquids	contact with eyes : Rinse with plenty of water for at least 20 minutes
	only with liquids	inhalation : Ask medical advice
	only with liquids	ingestion : Ask medical advice

<b>8</b>	<b>PROTECTION OF THE ENVIRONMENT</b>	avoid any discharge in the vicinity of fish pounds or grazing ground.
----------	--------------------------------------	---

<b>9</b>	<b>OTHER INFORMATION</b>	none
----------	--------------------------	------

This safety data sheet completes the package insert but cannot replace it.

Coris BioConcept is not responsible on potential hazards when the product and its components are not employed according to the recommendations of the insert.

**Fo-7.5-01-04-H** Rév. 03 DMA : 10-11-03